

Material safety data sheet SDS
According to EU Regulation 1907/2006 in the current version
Calys chrono-detox active
Trade name: Circalys®

1. Identification of the substance/mixture and company

Product name: Calys chrono-detox active / Trade name: Circalys®
INCI: Propanediol, Water, Andrographis paniculata leaf extract
Uses: Cosmetic ingredient
Supplier company identification: Elemental SRL, Piața Cazărmii no.15, 410188-Oradea, jud.Bihor, Romania
Tel/Fax: +40259-436.755, www.ellemental.com
Emergency: RO: număr național pentru cazuri de urgență: 021 3183606 Institutul de Sănătate Publică București.
International emergency number: +49 180 2273-112

2. Hazards Identification

2.1. Classification of the substance or mixture
Classification according to Regulation (EC) No. 1272/2008 [CLP]
Not classified
Adverse physicochemical, human health and environmental effects
No additional information available
2.2. Label elements
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
No labelling applicable
2.3. Other hazards
No additional information available

3. Declaration of ingredients

3.1 Substances
Not established
3.2 Mixtures
Name Product identifier % Classification according to Regulation (EC) No. 1272/2008 [CLP]
PROPANEDIOL (CAS-No.) 504-63-2 (EC-No.) 207-997-3 85 – 99% Not classified
AQUA (CAS-No.) 7732-18-5 (EC-No.) 231-791-2 (REACH-no) Exempted annex IV 1 – 10% Not classified
ANDROGRAPHIS PANICULATA LEAF EXTRACT (CAS-No.) 90244-84-1 (EC-No.) 290-788-4 1 – 10% Not classified

4. First aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : Remove victim to fresh air. Allow the victim to rest. If you feel unwell, seek medical advice.
Allow affected person to breathe fresh air.
First-aid measures after skin contact : No hazards which require special first aid measures. Remove affected clothing and wash all

Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the eyelids wide open.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : No hazards which require special first aid measures. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

5. Fire fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. dry chemical powder. Foam. Water spray. Carbon dioxide. Dry powder. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid. direct fire hazard.

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Complete protective

clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Cool adjacent tanks / containers / drums with water jet.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Mark the danger area. Exposure to fire/heat: consider evacuation. Handle in accordance with good industrial hygiene and safety practice.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Wear suitable respiratory equipment. Evacuate area. Avoid contact with skin and eyes.

Emergency procedures : Ventilate area. Evacuate the danger area. If spillage occurs on the public highway, indicate the danger and notify the authorities (police, fire brigade). Stop leak if safe to do so.

Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable respiratory equipment. Wear suitable protective clothing, gloves and eye/face protection. Avoid contact with skin and eyes. Equip cleanup crew with proper protection.

Emergency procedures : Evacuate the danger area. Stop leak if safe to do so. If spillage occurs on the public

Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

highway, indicate the danger and notify the authorities (police, fire brigade). Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Dike for recovery or absorb with appropriate material. Stop leak if safe to do so.

Methods for cleaning up : Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Comply with local regulations for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

7. Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Provide good ventilation in process area to prevent formation of vapour.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store tightly closed in a dry and cool place. Keep only in original container. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

8. Exposure controls / personal protection

8.1. Control parameters

No additional information

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

Other information:

Do not eat, drink or smoke during use.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : yellow to dark amber.

Odour : characteristic.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : No data available

Vapour pressure : No data available

Relative vapour density at 20 °C : No data available

Relative density : 1,03 – 1,09

Solubility : Water: Soluble

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

10. Stability and reactivity

10.1. Reactivity

Reacts with : Strong oxidisers.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Water, humidity. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Direct sunlight. Extremely high or

Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidisers.

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases. fume. Carbon monoxide. Carbon dioxide.

11. Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

PROPANEDIOL (504-63-2)

LD50 oral rat 4773 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

12. Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute): Not classified

Hazardous to the aquatic environment, long-term (chronic): Not classified

PROPANEDIOL (504-63-2)

EC50 Daphnia 1 7417 mg/l /48h Daphnia magna

NOEC chronic fish > 9720 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

13. Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Comply with local regulations for disposal.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment

14. Transport information

14.1 UN/ID No.

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. Additional information

Material safety data sheet SDS

According to EU Regulation 1907/2006 in the current version

Calys chrono-detox active

Trade name: Circalys®

16.1 Abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Test-ing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regula-tion (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergen-cy Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration as-sociated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships car-rying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; INCI: International Nomenclature of Cosmetic Ingredients; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test popula-tion; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - Interna-tional Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Ef-fect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quanti-tative) Structure Activity Relationship; PNEC: Predicted No Effect Concentration; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Re-striction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; STE: Short-term exposure; STEL: Short Term Exposure limit; STOT: Specific Target Organ Toxicity; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer:

This material safety data sheet does not constitute a guarantee of the properties of the product and is not a contractual legal report. The information is given in good faith on the basis of our best knowledge of the product at the indicated time. However, we cannot accept responsibility or liability for any consequences arising from its use, no warranty for correctness and completeness is given. We caution the users against the incurred possible risks when the product is used at other ends than the use for which it was initially planned. It is the user's responsibility during handling, storage and product use to consult the main regulatory texts in force regarding workers and environment protection.