

Form: TDS-001 Root Reference: M-1632

Effective date: 11.2022

TECHNICAL DATA SHEET

SURFACTANT SLES+LG

INFORMATION ON SUBSTANCE / MIXTURE

INCI	Sodium Laureth Sulfate (and) Lauryl Glucoside
Chemical description	Alkyl Ether Sulfate and Alkyl Polyglucoside
Appearance	Light yellow, highly concentrated pumpable paste, which can be easily diluted by means of simple stirring equipments.
Example of use	Suited as a basic surfactant for universal application in mild cleasing preparations for personal care and hard surface care application.

TECHNICAL DATA

Physical parameters

Appearance	Viscous pasty liquid
Odor	Characteristic
Density (at 20°C)	1.08 - 1.11 g/cm3
pH (at 20°C)	11-12

Biological parameters

Aerobic Bacterial Count	< 100 cfu/g
Yeasts and Molds	< 10 cfu/g
Enterobacteries	absence

TRANSPORT, STORAGE and SHELF LIFE

Shelf Life	Min 24 months in recommended storage conditions. Store in a cool, dry, ventilated
	area away from heat sources. Keep containers upright and tightly closed when not in
	use.

LEGISLATION

Certification	RSPO MB



Form: TDS-001 Root Reference: M-1632

Effective date: 11.2022

TECHNICAL DATA SHEET

SURFACTANT SLES+LG

CMR	This product is free from substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR) of category 1A, 1B or 2 under Part 3 of Annex VI to Regulation (EC) No 1272/2008
Nanomaterials	This product is not considered as a nanomaterial, and doesn't contain nanoparticles as defined by the European commission and as described in EU n°1223/2009 and 2012-232 (ANSES).
Animal testing	This product has not been tested on animals.
GMO	Manufactured neither from nor by GMOs as those terms are used in Articles 2 and 9 of Council Regulation (EC) N°834/2007.
EINECS	/
CAS	68891-38-3, 110615-47-9

DISCLAIMER

All warranty claims in respect to the conformity of our product are subject to our General Terms and Conditions of Sale and Delivery. The data listed above reflects the results of the manufacturer or our supplier quality tests. We do not hereby make any express or implied warranty, whether for specific properties or for fitness for any particular application or purpose. All values are valid for the product when dispatched from the works. We recommend you perform your own quality and or identification checks on receipt.